



220-240V AC, Phasenanschn. LED-Netzgerät 24V 40-75, 6W IP20 Dimmb.

Article nr.: 85480-V2

rutech dimmable LED power supply, constant voltage · for indoor use, IP20 · with screw connection and strain relief · CE, REACH, RoHS, MM, SELV · protection against short circuit, over current, over voltage and over temperature · cable cross-section connection terminals: 0.5 - 1.5 sq mm · housing: plastic · input voltage: 220-240 V AC · power: 40-75.6 W · output current: 3.15 A · output voltage: 24 V DC · LxWxH in mm: 204 x 53.5 x 30 · temperature range: -20 to +40°C · dimmable on primary side via TRIAC

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094084800
Housing colour	Blau
Length	204.00 mm
Width	53.50 mm
Height	30.00 mm
Lamp	without
IP rating	20
Power	40-75,6 W
Psb	0,00 W





**220-240V AC, Phasenanschn. LED-
Netzgerät 24V 40-75, 6W IP20 Dimmb.**
Article nr.: 85480-V2

TECHNICAL DATA

Pno	0,42 W
Current mA	3.150 mA
Input voltage	220-240
Output voltage	24
Material	Kunststoff
Tolerance	5.00
Temperature range	-20 - 40
Suitable light source	LED





**220-240V AC, Phasenanschn. LED-
Netzgerät 24V 40-75, 6W IP20 Dimmb.**
Article nr.: 85480-V2

TECHNICAL DRAWING

