




## WITH PFC ACTIV 100-240V AC LED- Netzgerät 24V 600W IP67

Article nr.: 85458

rutech LED power supply, constant voltage · for indoor and outdoor use, IP67 · built-in active power factor correction (active PFC) · protection class I, SELV, MM, CE, REACH, RoHS · protection against short circuit, overload and overtemperature · primary sided 1 input and secondary sided 2 output line · housing: aluminum · input voltage: 100-240V AC · power: 600 watt · output current: 25 A · output voltage: 24 Volt · LxWxH in mm: 300 x 138 x 47 · temperature range: -30 to +50°C · not dimmable on primary side

### TECHNICAL DATA

|                |               |
|----------------|---------------|
| Unit Code      | pcs           |
| BAR code       | 4012094854588 |
| Housing colour | Aluminium     |
| Length         | 300.00 mm     |
| Width          | 138.00 mm     |
| Height         | 47.00 mm      |
| Lamp           | without       |
| IP rating      | 67            |
| Power          | 600 W         |
| Psb            | 0,00 W        |





## WITH PFC ACTIV 100-240V AC LED- Netzgerät 24V 600W IP67

Article nr.: 85458

### TECHNICAL DATA

|                       |           |
|-----------------------|-----------|
| Pno                   | 0,45 W    |
| Current mA            | 25.000 mA |
| Input voltage         | 100-240   |
| Output voltage        | 24        |
| Material              | Aluminium |
| Tollerance            | 5.00      |
| Temperature range     | -30 - 50  |
| Suitable light source | LED       |





## WITH PFC ACTIV 100-240V AC LED- Netzgerät 24V 600W IP67

Article nr.: 85458

### TECHNICAL DRAWING

