rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



starr 1, 4401 X5CrNiMo 316 MR16 Tulka Edelst.V4Am.Clipver.IP55 weiss

Article nr.: R5569-1

Fixed, Without Snap-Ring, IP55 V4A stainless steel, white · Round for 50 m m Light Bulb · · Indoor and Outdoor Use Also Usable for Installation In Concrete Ceilings and · Other Thermally Difficult Mounting Locations. As Well As for Use In Moist Rooms · and Suitable for Sea Air Areas. · Housing and Cover Ring Made Out of V4A Stainless Steel. · Light Bulb Replacement By Removing the Inner Ring (Clip Fastener). · Tempered Clear Glass with IP55 Protection for Installation in Ceilings. · Excluding: Light Bulb · without low-voltage socket art.-no .: 55004 (SKIII) · without high-voltage version + strain relief item no .: 54995 (SKII)

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094556918
Housing colour	Weiss
Outer diameter	82 mm
Hole size	68 mm
Lamp	without
IP rating	55
Power	1-20 W
Lamp base	ohne
Amount of LED	1

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



starr 1, 4401 X5CrNiMo 316 MR16 Tulka Edelst.V4Am.Clipver.IP55 weiss

Article nr.: R5569-1

TECHNICAL DATA

Material	Edelstahl
Temperature range	-20 - 100
Suitable light source	

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



starr 1, 4401 X5CrNiMo 316 MR16 Tulka Edelst.V4Am.Clipver.IP55 weiss

Article nr.: R5569-1

TECHNICAL DRAWING

