




220V-240V 50/60Hz Scheibe opal
3000K SILMA LED-EBS AC RUND WEISS
30W IP40

Article nr.: 48130

for indoor use, IP40 · housing: diecast aluminum (plastic protection cover, diffuse) · housing colour: white · not swivelling · beam angle: 102° · power: 30 W · light colour: 3000 K (100K) warm white · luminous flux: 2989 lm · CRI: >80 · lifespan L70: >= 50.000 h · input: 220-240 V AC · protection class I · installation depth: 60 mm · ceiling cut-out: 190 mm · outer diameter: 220 mm · not dimmable · suitable for through wiring

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094481302
Housing colour	Weiss
Height	52.00 mm
Outer diameter	220 mm
Hole size	190 mm
Depth in ceiling	60.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	2989.00 lm
Lightoutput per LED	35.58 lm






220V-240V 50/60Hz Scheibe opal
3000K SILMA LED-EBS AC RUND WEISS
30W IP40

Article nr.: 48130

TECHNICAL DATA

Lamp	including LED
IP rating	40
Power	30 W
Voltage	220-240 V
Lamp base	ohne
Amount of LED	84
Material	Aluminium
Temperature range	-20 - 50
CRI	≥ 80
Suitable light source	





220V-240V 50/60Hz Scheibe opal
3000K SILMA LED-EBS AC RUND WEISS
30W IP40

Article nr.: 48130

TECHNICAL DRAWING

