



**TALU LED-Einbaustrahler ohne
Konverter schwenk., rund, 350mA, 8W,
IP20, 2700K, CRI90 - Chrom**
Article nr.: ALU57344UWWOK

for indoor use, IP 20 · · housing: diecast aluminum, glass reflector, protective glass · housing color: chrome · 30° swivelling · beam angle: 40° · power: 8 W · light color: 2700 K · luminous flux: 694 lm · CRI: >90 · lifespan L70B50: >= 50,000 h · input: 350 mA DC · protection class III, MM · · installation depth: 40 mm · ceiling cut-out: 68 mm · outer diameter: 82 mm · energy efficiency class: F · not included LED converter

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094073446
Housing colour	Chrom
Height	31.00 mm
Outer diameter	82 mm
Hole size	68 mm
Depth in ceiling	40.00 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	694.00 lm
Lamp	including LED





**TALU LED-Einbaustrahler ohne
Konverter schwenk., rund, 350mA, 8W,
IP20, 2700K, CRI90 - Chrom**
Article nr.: ALU57344UWWOK

TECHNICAL DATA

IP rating	20
Power	8 W
Psb	0,00 W
Current mA	350 mA
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 40
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	50.000 h
Suitable light source	





**TALU LED-Einbaustrahler ohne
Konverter schwenk., rund, 350mA, 8W,
IP20, 2700K, CRI90 - Chrom**
Article nr.: ALU57344UWWOK

TECHNICAL DRAWING

