




## VARDAflex Eco Plus CRI90 - 5 M-Rolle Flex.LEDStrip, 24V, 9, 6W/m, IP20, 2700K

Article nr.: 82477

flexible LED Strip with self adhesive backside, · for indoor use. · can be separated every 50 mm or 7 LEDs · number of LEDs: 700 · LED pitch: 7.14 mm · beam angle: 120° · CRI: >90 · luminous flux per meter: 941 lm · voltage: 24V DC · power per meter: 9.6 W · lifespan L70B50: >= 50,000 h · energy efficiency class: F · LxWxH in mm: 5.000 x 8 x 1.4 · Easy installation with solderless connector (optional). · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll with 300 mm connection cable

### TECHNICAL DATA

|                         |                          |
|-------------------------|--------------------------|
| Unit Code               | pcs                      |
| BAR code                | 4012094824772            |
| Housing colour          | Weiss                    |
| Length                  | 5000.00 mm               |
| Width                   | 8.00 mm                  |
| Height                  | 1.40 mm                  |
| LED colour              | ca. 2700K ultra warmweiß |
| Lightoutput per fixture | 4705.00 lm               |
| Lightoutput per LED     | 6.72 lm                  |
| Lamp                    | including LED            |





## VARDAflex Eco Plus CRI90 - 5 M-Rolle Flex.LEDStrip, 24V, 9, 6W/m, IP20, 2700K

Article nr.: 82477

### TECHNICAL DATA

|                         |             |
|-------------------------|-------------|
| IP rating               | 20          |
| Power                   | 48 W        |
| Psb                     | 0,00 W      |
| Current mA              | 2.000 mA    |
| Voltage                 | 24 V        |
| Amount of LED           | 700         |
| Temperature range       | -20 - 45    |
| LED per meter           | 140         |
| Dimension of segments   | 50.00 mm    |
| Energy efficiency class | EEK-Label_F |
| CRI                     | ≥ 90        |
| Lifetime L70B50         | 50.000 h    |
| Suitable light source   |             |





**VARDAflex Eco Plus CRI90 - 5 M-Rolle**  
**Flex.LEDStrip, 24V, 9, 6W/m, IP20,**  
**2700K**

Article nr.: 82477

## TECHNICAL DRAWING

