




VARDAflex Nova Eco Plus - 5M Rolle Flex.LEDStrip, 24V, Innen, 4000K CRI90 Article nr.: 82768

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · · Can be separated every 50 mm or 6 LEDs · Number of LEDs: 600 · LED pitch: 8.33 mm · beam angle: 120° · CRI: >90 · Lumen per meter: 854 lm · Voltage: 24 V DC · Power per meter: 9.6 W · Lifetime L70B50: >= 36,000 h · energy efficiency class: G · LxWxH in mm: 5,000 x 8 x 1.1 · · Easy installation with solderless connector (optional). · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter reel

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094827681
Housing colour	Weiss
Length	5000.00 mm
Width	8.00 mm
Height	1.10 mm
LED colour	ca. 4000K neutralweiß
Lightoutput per fixture	4270.00 lm
Lightoutput per LED	7.12 lm
Lamp	including LED






VARDAflex Nova Eco Plus - 5M Rolle
Flex.LEDStrip, 24V, Innen, 4000K CRI90
Article nr.: 82768

TECHNICAL DATA

IP rating	20
Power	48 W
Current mA	2.000 mA
Voltage	24 V
Amount of LED	600
Temperature range	-20 - 45
LED per meter	120
Dimension of segments	50.00 mm
Energy efficiency class	EEK-Label_G
CRI	≥ 90
Lifetime L70B50	36.000 h
Suitable light source	





VARDAflex Nova Eco Plus - 5M Rolle
Flex.LEDStrip, 24V, Innen, 4000K CRI90
Article nr.: 82768

TECHNICAL DRAWING

