




VARDAflex COB Free-Cut - 5 Meter Rolle Flex.LEDStrip, 24V, 6W/m, Innen, 3000K

Article nr.: 84365

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · · can be separated everywhere ·
 number of LEDs: 2640 · LED pitch: 1.89 mm · beam angle: 180° · CRI: >80 · luminous flux per meter:
 405 lm · voltage: 24V DC · power per meter: 6 W · lifespan L70B50: >= 70.000 h · energy efficiency
 class: G · LxWxH in mm: 5.000 x 8 x 2 · · Easy installation with solderless connector (optional). ·
 Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5
 meter roll with 300 mm connection cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094843650
Housing colour	Weiss
Length	5000.00 mm
Width	8.00 mm
Height	2.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	2025.00 lm
Lightoutput per LED	0.77 lm
Lamp	including LED






VARDAflex COB Free-Cut - 5 Meter Rolle
Flex.LEDStrip, 24V, 6W/m, Innen, 3000K
Article nr.: 84365

TECHNICAL DATA

IP rating	20
Power	30 W
Psb	0,00 W
Current mA	1.250 mA
Voltage	24 V
Amount of LED	2640
Temperature range	-20 - 45
LED per meter	528
Dimension of segments	1.89 mm
Energy efficiency class	EEK-Label_G
CRI	≥ 80
Lifetime L70B50	70.000 h
Lifetime L90B10	20.000 h
Suitable light source	





VARDAflex COB Free-Cut - 5 Meter Rolle
Flex.LEDStrip, 24V, 6W/m, Innen, 3000K
Article nr.: 84365

TECHNICAL DRAWING

