



VARDaflex RGB/3000K/6300K - 5 M- R. Flex.LEDStrip, 24V, Innen, RGB+W+WW Article nr.: 84524

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · · Can be separated every 100 mm or 18 LEDs · Number of LEDs: 900 · LED pitch: 16.67 mm · beam angle: 120° · CRI: >80 · Lumen per meter: 1542 lm · Voltage: 24V DC · Power per meter: 26 W · Lifetime L70B50: >= 60.000h · energy efficiency class: F · LxWxH in mm: 5.000 x 15 x 2.3 · · Caution: Do not operate strip without aluminium profile · and adequate ventilation. · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094845241
Housing colour	Weiss
Length	5000.00 mm
Width	15.00 mm
Height	2.30 mm
LED colour	RGBWW 6500+2800K
Lightoutput per fixture	7710.00 lm
Lightoutput per LED	8.56 lm
Lamp	including LED






**VARDAflex RGB/3000K/6300K - 5 M- R.
Flex.LEDStrip, 24V, Innen, RGB+W+WW**
Article nr.: 84524

TECHNICAL DATA

IP rating	20
Power	130 W
Psb	0,00 W
Current mA	5.417 mA
Voltage	24 V
Amount of LED	900
Temperature range	-20 - 45
LED per meter	180
Dimension of segments	100.00 mm
Energy efficiency class	EEK-Label_F
CRI	≥ 80
Lifetime L70B50	60.000 h
Suitable light source	





VARDAflex RGB/3000K/6300K - 5 M- R.
Flex.LEDStrip, 24V, Innen, RGB+W+WW
Article nr.: 84524

TECHNICAL DRAWING

