



VARDAflex 5 M-Rolle 24V Flex. LED


Leiste, Innen, RGB+WW

Article nr.: 86512

Flexible LED strip fitted out alternatively with RGB and white SMD LEDs, · self-adhesiveback, for indoor use · 9.6W, 60 LED, max. 397 lm per metre · luminous flux 3000K per meter: 198 lm · various light control units with RGBW controller · cuttable every 16.7 cm or 10 LEDs · LED spacing: 16.67 mm · maximum length per connection: 5 metres. · Feed in anew for longer lengths. · Scope of delivery: 5 metre roll, 5 in-feed connectors, · 1 x direct connector · graded and stored by binning codes · Lifespan L70B50: >= 54.000 hours · Energy efficiencyclass: G

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094865126
Housing colour	ohne
Length	5000.00 mm
Width	12.00 mm
Height	2.60 mm
LED colour	RGB+W 3500K
Lightoutput per fixture	1985.00 lm
Lightoutput per LED	6.61 lm
Lamp	including LED






VARDAflex 5 M-Rolle 24V Flex. LED

Leiste, Innen, RGB+WW

Article nr.: 86512

TECHNICAL DATA

IP rating	20
Power	48 W
Psb	0,00 W
Current mA	2.000 mA
Voltage	24 V
Amount of LED	300
Temperature range	-20 - 45
LED per meter	60
Dimension of segments	167.00 mm
Energy efficiency class	EEK-Label_G
CRI	≥ 80
Lifetime L70B50	69.000 h
Lifetime L90B10	35.000 h
Suitable light source	





VARDAflex 5 M-Rolle 24V Flex. LED
Leiste, Innen, RGB+WW
Article nr.: 86512

TECHNICAL DRAWING

