



für VARDaFlex LED-Strips
Einspeisungsverb. Screw Einf. 8mm IP20
Article nr.: 70224

Feed-in connector for single-colour LED strips 8 mm · with screw contacts for safe contacting · max. current carrying capacity: 6 A (12V/72W, 24V/144W) · LxWxH in mm: 13.4 x 11.5 x 6.5 · for wire cross-section: 0.32 - 1.32 sqmm · suitable for the following LED strips: · VARDaFlex Eco: 82414, 82415, 82417, 82418 · VARDaFlex Nova Eco Plus: 82765, 82768 · VARDaFlex Standard: 84315, 84317 · VARDaFlex Plus: 86141, 86149, 86439

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094702247
Housing colour	ohne
Length	13.40 mm
Width	11.50 mm
Height	6.50 mm
Lamp	without
IP rating	20
Current mA	6.000 mA
Voltage	3-24 V





für VARDAflex LED-Strips
Einspeisungsverb. Screw Einf. 8mm IP20
Article nr.: 70224

TECHNICAL DATA

Material

Kunststoff

Temperature range

-10 - 45

Suitable light source

CE

RoHS





für VARDAflex LED-Strips
Einspeisungsverb. Screw Einf. 8mm IP20
Article nr.: 70224

TECHNICAL DRAWING

